

Docmosis Tornado v2.7.3 Release Notes

July 2019

Docmosis core remains at version 4.4.1

Tornado Changes

#	Change
	<p>Turned render queue-depth defence off by default. This was rejecting requests when a queue of more than 20 renders was reached. It can be enabled and configured with the following settings:</p> <pre>render.queue.defence.enabled=true (default=false) render.queue.perServer.user.queuedRendersMax=n (default=20)</pre>

Web Service API Changes

#	Change

New Core Engine Features

#	Change

Bug Fixes / Technical Changes

#	Change
1	

See below for previous 2.7 release notes.

Docmosis Tornado v2.7.2 Release Notes

Feb 2019

Docmosis core remains at version 4.4.1

Tornado Changes

#	Change

Web Service API Changes

#	Change

New Core Engine Features

#	Change

Bug Fixes / Technical Changes

#	Change
1	Fixed a bug where calls to the Render service ("/render") using a multipart or url-encoded form content type would ignore accessKey configuration in Tornado settings.
2	Reworked logging initialization so that the log.level parameter can be used to override logging even when a custom logging configuration file has been specified. Previously the log file configuration would override the log.level setting.
3	Updated new parameter / environment variable processing to allow a blank value to be passed to remove any pre-existing setting.

See below for previous 2.7 release notes.

Docmosis Tornado v2.7.1 Release Notes

Dec 2018

Docmosis core updated from version 4.4.0 to 4.4.1

Tornado Changes

#	Change
1	All tornado parameters can now be passed from the command line and by using environment variables. This allows Tornado to be completely configured (or adjusted) by scripts or the operating environment without needing to manually interact with the web console. Related are new optional command line args to Tornado: a. <code>java -jar docmosisTornado.war help</code> - print the help including all options b. <code>java -jar docmosisTornado.war clearConfig</code> - to wipe any saved configuration

Web Service API Changes

#	Change

New Core Engine Features

#	Change
1	New template functions: <ul style="list-style-type: none">- <code>replaceStr(source, searchFor, replaceWith [, ignoreCase])</code>- <code>replaceFirst(source, searchFor, replaceWith [, ignoreCase])</code>

Bug Fixes / Technical Changes

#	Change
1	Improved converter bootstrapping process to prime the converter with a more realistic document. This avoids the increased processing time for a first-time-used converter.
2	Fixed issue where table-cell colouring wasn't being applied (when driven by data eg ' <code><bgcolor="#ff0000"/></code> ') to table cell when field providing the style information was number or bullet listed
3	Fixed issue with DOCX image substitution from DOCX templates that could result in the image not being sized correctly and the text 0.00.0 being displayed.
4	Fixed issue where <code><<cc_>></code> , <code><<rr_>></code> , <code><<cr_>></code> tags might be ignored if list-styled (bullet or numbered) in the template.
5	Fixed an issue with TableAnalysis which could mis-track which cell is being processed across the row.

#	Change
6	Adjusted error handling to not report bad section matches when ending a list if errors have already been reported. This stops two errors being reported for one problem.
7	Fixed initialization issue where preferences could not be saved via the console if the previous preferences were bad or the key had expired.
8	Improved search for default Libre Office install when properties are defaulting for first use.
9	Improved validation and tool tips for Office Dir to better validate and guide user.
10	Fixed end of line characters with packaged startTornado.sh script for linux.

See below for previous 2.7 release notes.

Docmosis Tornado v2.7 Release Notes

Oct 2018

Docmosis core updated from version 4.3.0 to 4.4.0

Tornado Changes

#	Change
1	Support for Java up to version 11 Note: Java 11 will give Warnings during Tornado Startup such as: <code>WARNING: An illegal reflective access operation has occurred</code> These can be ignored for the time being as they won't affect Tornado's execution. A future release of Tornado will resolve these issues when related libraries become Java 11 compliant.
2	Support for LibreOffice 6

Web Service API Changes

#	Change
1	New end point “/status” The “/status” end point goes further than the “/ping” service, confirming the engine is ready to render documents.
2	New render response header “X-Docmosis-Document-Errors-Detected” HTTP response header “X-Docmosis-Document-Errors-Detected” is set when rendering in Dev mode. This allows the client to determine if the rendered document is known to have errors.

New Core Engine Features

#	Change
1	Improved Error Handling in Dev Mode Top level errors now written closer to the location of the error rather than top of document.

#	Change
2	<p>Improved XML and JSON Sample Data Generation</p> <p>Generated JSON data is now more compact.</p> <p>Sample data generation now supports nested names for fields. For example:</p> <pre data-bbox="253 365 396 390"><<a.b.c>></pre> <p>Generates the sample data:</p> <pre data-bbox="253 501 711 527">{"a": {"b": {"c": "value1"}}</pre>
3	<p>New sentenceCase(), isBlank(), ifBlank(), and squote() Functions</p> <p>Use <code>sentenceCase()</code> to convert text data to sentence case format:</p> <pre data-bbox="253 695 1170 720">sentenceCase('this is a sentence.') => This is a sentence.</pre> <p>Use <code>isBlank()</code> or <code>ifBlank()</code> to test and act based on blank data values:</p> <pre data-bbox="253 835 553 861">isBlank('') => true</pre> <p>Use <code>squote()</code> to replace double quotes with single quotes in a string literal or data to allow quote-escape:</p> <pre data-bbox="253 1010 1203 1035">squote('This sentence"s quotes.') => This sentence's quotes.</pre>
4	<p>New Built-In Template Variables</p> <p><code>\$num</code> - the current counter into the data.</p> <p><code>\$num1, \$num2...</code> - provide the absolute index into the repeating sequence starting at zero (i.e. 1,2,3,4,5,6...).</p> <p><code>\$itemidx1, \$itemidx2...</code> - provide the absolute index into the repeating sequence starting at zero (i.e. 0,1,2,3,4,5...).</p> <p><code>\$nl</code> - a new line character.</p> <p><code>\$nowMS</code> - the current UTC time in milliseconds since epoch</p> <p><code>\$nowUTC</code> - current UTC time as an ISO 8601 string</p> <p><code>\$quot</code> - a single-quote character</p>
5	<p>Improved Numbered List Processing</p> <p>Now handles more complex cases of:</p> <ul data-bbox="269 1703 1289 1843" style="list-style-type: none"> - conditioning out some numbered items and resuming numbering - lists continue after sub-lists rendered - allow lists to continue from master template into sub-template using a new "<code><<list:continue>></code>" directive

Bug Fixes / Technical Changes

#	Change
1	Added ability use SSL for remote converters.
2	Improved the way URLs work to include context for items displayed in the console (e.g. ping, status, wadl). This resolves some issues around when deploying Tornado to different Tomcat contexts.
3	Improved template-functions to not raise errors when given null values.
4	Improved rendering of merged documents by renaming styles to remove conflict of styles.
5	Updated further functions to handle null/empty params better
6	Updated remote converter to preserve the extension of the files being transferred. This fixes an issue with HTML injection where the file encoding is not correct if Libre Office imports the file and doesn't realize it is html.
7	Added <<list:continue>> directive to allow sub-templates to specify they want to continue numbering from a master template.
8	Improved list processing to track the lists rendered so that stripped lists (e.g. conditional sections) don't break linkages between lists.
9	Updated GetTemplate* services to log the exception trace when a Not Found occurs since it's quite a normal error.
10	Fixed several getX() services that could download a file with a "/" in the content-disposition.
11	Fixed issue in Tornado configuration which expects the template directory to be writable when saving configuration.
12	Updated tornado to be able to be configured with a "log.dir.override" setting to log outside of the configured working dir (helpful in Docker environments).
13	Fixed bug in TemplateContext constructor which wasn't correctly removing duplicate "/" characters.
14	Fixed bug in SimpleJSONTemplateStructureProcessor.finish() which wasn't keeping the adjustment to the indent variable.
15	Fixed issue with SimpleTemplateTable.hashCode() which was not correctly hashing the array.
16	Updated repeating section processing to correctly handle more complex cases of repeating and variable references. This also fixes a corner case problem with <<pageBreakNotLast>> not working after an internal <<rs_a.b.c>>blah<<es_>> upset the indexing.
17	Fixed Thread leak in MailSystem. When Transport instances are being cached AND a TransportListener is attached, the JavaMail system spawns a thread per Transport for each Thread a Transport was created in.
18	Fix to writing in-document errors into header and footer (some where hiding).
19	Updated bookmark and image processing to be able to use a bookmark that appears just after the image frame rather than wrapping the image. This helps with imports of Docx files in LO5 and looks like it helps with DOC files where the image has a different wrap mode.
20	Corrected processing of [F-L] type range directives which were doing the wrong thing under some cases.
21	Updated stepping and indexing processes - allows more flexible ranges e.g. [1,2,1,1,2].
22	Improved error messages from template-functions - provide function name in message.

#	Change
23	Fixed issue resulting in corrupt documents when new line characters in data were mixed with html-like (, <u>, etc.) directives.
24	Fix to HTML injection where <<html:xxx>> fields being last element in a paragraph could leave "repairme" message.
25	Improvements have been made to the auto-detection of the LibreOffice/OpenOffice locations for the first-runs of Tornado when no configuration has been created.